



# **Micro Focus Security ArcSight Connectors**

**SmartConnector for Microsoft Windows Event Log –  
Native: Microsoft Forefront Protection 2010**

**Supplemental Configuration Guide**

Document Release Date: April 16, 2018

Software Release Date: April 16, 2018

## Legal Notices

### Warranty

The only warranties for products and services of Micro Focus and its affiliates and licensors (“Micro Focus”) are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Except as specifically indicated otherwise, a valid license from Micro Focus is required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notice

© Copyright 2010-2018 Micro Focus or one of its affiliates.

### Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

## Revision History

Date	Description
04/16/2018	Updated versions supported.
08/30/2016	Updated versions supported.
02/16/2015	First edition of this configuration guide, for initial support of Microsoft Forefront Protection.

## Support

### Contact Information

<b>Phone</b>	A list of phone numbers is available on the Technical Support Page: <a href="https://softwaresupport.softwaregrp.com/support-contact-information">https://softwaresupport.softwaregrp.com/support-contact-information</a>
<b>Support Web Site</b>	<a href="https://softwaresupport.softwaregrp.com/">https://softwaresupport.softwaregrp.com/</a>
<b>ArcSight Product Documentation</b>	<a href="https://community.softwaregrp.com/t5/ArcSight-Product-Documentation/ct-p/productdocs">https://community.softwaregrp.com/t5/ArcSight-Product-Documentation/ct-p/productdocs</a>

# Contents

- SmartConnector for Microsoft Windows EventLog – Native: Microsoft Forefront Protection
- 2010 ..... 6
  - Product Overview ..... 6
  - Forefront Protection Configuration ..... 6
  - Connector Installation and Configuration ..... 7
    - Collect Events from the Event Log ..... 7
  - Device Event Mapping to ArcSight Fields ..... 7
- Windows 2008 ..... 8
  - General ..... 8
    - Event ID 7000 ..... 8
    - Event ID 7001 ..... 8
    - Event ID 7002 ..... 8
    - Event ID 7003 ..... 8
    - Event ID 7004 ..... 9
    - Event ID 7005 ..... 9
    - Event ID 7006 ..... 9
    - Event ID 7007 ..... 9
    - Event ID 7008 ..... 9
    - Event ID 7010 ..... 9
    - Event ID 7012 ..... 9
    - Event ID 7015 ..... 10
    - Event ID 7018 ..... 10
    - Event ID 7021 ..... 10
    - Event ID 7024 ..... 10
    - Event ID 7025 ..... 10
    - Event ID 7026 ..... 10
    - Event ID 7028 ..... 11
    - Event ID 7033 ..... 11
    - Event ID 7035 ..... 11
    - Event ID 7040 ..... 11
    - Event ID 7044 ..... 11
    - Event ID 7046 ..... 11
    - Event ID 7048 ..... 11
    - Event ID 7051 ..... 12
    - Event ID 7064 ..... 12
  - FSC Controller ..... 12
    - Event ID 1000 ..... 12

Event ID 1001 .....	12
Event ID 1020 .....	12
Event ID 1021 .....	12
Event ID 1022 .....	13
Event ID 1023 .....	13
Event ID 1024 .....	13
Event ID 1025 .....	13
Event ID 1026 .....	13
Event ID 1028 .....	14
Event ID 1037 .....	14
Event ID 1041 .....	14
Event ID 1043 .....	14
Event ID 1044 .....	14
Event ID 2102 .....	14
Event ID 5167 .....	15
Event ID 5183 .....	15
Event ID 8046 .....	15
Event ID 8055 .....	15
FSC Eventing .....	15
Event ID 1075 .....	15
Event ID 1076 .....	15
FSC Manual Scanner .....	16
Event ID 1045 .....	16
Event ID 1048 .....	16
Event ID 1052 .....	16
FSC Scheduled Scanner .....	16
Event ID 2080 .....	16
Event ID 2081 .....	16
Event ID 3009 .....	17
FSC Realtime Scanner .....	17
Event ID 2000 .....	17
Event ID 2001 .....	17
FSC Transport Scanner .....	17
Event ID 2007 .....	17
Event ID 2008 .....	17
Event ID 3002 .....	18
FSC Monitor .....	18
Event ID 1007 .....	18
Event ID 1008 .....	18
Event ID 1013 .....	18
Event ID 1014 .....	19

FSE On Demand Nav .....	19
Event ID 1049 .....	19
Event ID 1050 .....	19
FSE Mail Pickup .....	19
Event ID 1029 .....	19
Event ID 1030 .....	19
FSE IMC .....	20
Event ID 1002 .....	20
Event ID 1003 .....	20
FSE VS API .....	20
Event ID 5066 .....	20
FSC VSS Writer .....	20
Event ID 1094 .....	20
Event ID 1095 .....	20
Get Engine Files .....	21
Event ID 2011 .....	21
Event ID 2012 .....	21
Event ID 2017 .....	21
Event ID 2034 .....	21
Event ID 2109 .....	22
Event ID 6012 .....	22
Event ID 6014 .....	22
Event ID 6019 .....	22
Event ID 6020 .....	23
Send Documentation Feedback .....	24

# SmartConnector for Microsoft Windows Event Log – Native: Microsoft Forefront Protection 2010

This guide provides information about the SmartConnector for Microsoft Windows Event Log – Native: Microsoft Forefront Protection and its event mappings to ArcSight data fields. This connector supports Microsoft Forefront Protection 2010 events for Windows Server 2008, Windows Server 2008 R2, and Windows Server 2012 Standard with Exchange 2010.

The *SmartConnector for Microsoft Windows Event Log – Native Windows Security Event Mappings* document provides the main mappings for the Windows Event Log SmartConnectors; the field mappings listed in this document are specifically for the SmartConnector for Windows Event Log – Native: Microsoft Forefront Protection.

## Product Overview

Microsoft Forefront Protection 2010 for Exchange Server (FPE) provides protection against malware and spam by including multiple scanning engines in a single solution. FPE provides customers with an administration console that includes customizable configuration settings, filtering options, monitoring features and reports, anti-spam protection, and integration with the Forefront Online Protection for Exchange (FOPE) product.

## Forefront Protection Configuration

To enable writing events to the Windows Event Log from Forefront Protection:

1. In the Forefront Protection 2010 for Exchange Server Administrator Console, click **Policy Management**, and under **Global Settings**, click **Advanced Options**.
2. In the **Global Settings - Advanced Options** pane, under the **Logging Options** section, select the **Enable event logging** check box. When checked (the default), you can use the associated check boxes to individually enable or disable the following options (which are enabled by default):
  - **Incidents**—Enables or disables event logging for incidents.
  - **Engines**—Enables or disables event logging for engines.
  - **Operational**—Enables or disables logging for all other events, such as system information and health events.

When the **Enable event logging** check box is cleared, incidents logging is suspended for incidents, engines, and operational events.

3. Click **Save**.

**Note:** The relevant Microsoft Exchange and Microsoft Forefront Server protection services must be restarted in order for any changes to these settings to take effect. This typically includes the Microsoft Exchange Transport, Microsoft Exchange Information Store, and Microsoft Forefront Server Protection Controller services.

See **Microsoft TechNet → Microsoft Forefront TechCenter Library → Forefront Protection 2010 for Exchange Server → Operations → Configuring logging options** for more information.

## Connector Installation and Configuration

Follow the installation and configuration procedures in the *SmartConnector Configuration Guide for Microsoft Windows Event Log – Native*, selecting **Microsoft Windows Event Log – Native** as the connector to be configured.

### Collect Events from the Event Log

To set up the connector to collect application events:

1. From `$ARCSIGHT_HOME\current\bin`, double-click **runagentsetup.bat**.
2. Select **Modify Connector** on the window displayed and click **Next**.
3. Select **Modify connector parameters** and click **Next**.
4. Select **Navigate to the Modify table parameters** window.
5. To collect events from an application log, modify the **Application** field by selecting **true** for event collection in the Application field and enter **Forefront Protection** in the **Custom Log Names** field. You can specify multiple Custom Log Names in a comma-separated format; for example:  
Directory Service, Forefront Protection
6. Click **Next** to update the parameters; when you receive the successful update message, click **Next**.
7. Select **Exit** and click **Next** to exit the configuration wizard.
8. Restart the connector for your changes to take effect.

For more information about application event support, see the *SmartConnector Configuration Guide for Microsoft Windows Event Log – Native*.

## Device Event Mapping to ArcSight Fields

The following section lists the mappings of ArcSight data fields to the device's specific event definitions. See *ArcSight 101* for more information about the ArcSight data fields.

## Windows 2008

### General

ArcSight ESM Field	Device-Specific Field
Device Product	'Forefront Protection'
Device Vendor	'Microsoft'

### Event ID 7000

ArcSight ESM Field	Device-Specific Field
Message	'All the antimalware engines selected in the Forefront Administration Console for scanning have been enabled for updates.'
Name	'All the antimalware engines selected in the Forefront Administration Console'

### Event ID 7001

ArcSight ESM Field	Device-Specific Field
Message	'Not all the antimalware engines selected in the Forefront Administration Console for scanning have been enabled for updates.'
Name	'Not all the antimalware engines selected in the Forefront Administration Console'

### Event ID 7002

ArcSight ESM Field	Device-Specific Field
Name	'All the antimalware engines enabled for updates have been updated successfully at the last attempt'

### Event ID 7003

ArcSight ESM Field	Device-Specific Field
Name	'Not all of the antimalware engines enabled for updates have successfully updated at the last attempt'



## Event ID 7004

ArcSight ESM Field	Device-Specific Field
Name	'Less than half of the antimalware engines enabled for updates have updated successfully at the last attempt.'

## Event ID 7005

ArcSight ESM Field	Device-Specific Field
Name	'All the antimalware engines enabled for updates have updated successfully in the last five days'

## Event ID 7006

ArcSight ESM Field	Device-Specific Field
Name	'At least one of the antimalware engines enabled for updates has not been updated in the last five days.'

## Event ID 7007

ArcSight ESM Field	Device-Specific Field
Name	'None of the antimalware engines enabled for updates have been updated in the last five days.'

## Event ID 7008

ArcSight ESM Field	Device-Specific Field
Name	'The antimalware engines selected for transport scanning have been initialized.'

## Event ID 7010

ArcSight ESM Field	Device-Specific Field
Name	The antimalware engines selected for realtime scanning have been initialized.'

## Event ID 7012

ArcSight ESM Field	Device-Specific Field
Name	'The transport scan job is enabled'

## Event ID 7015

ArcSight ESM Field	Device-Specific Field
Name	'The realtime scan job is enabled.'

## Event ID 7018

ArcSight ESM Field	Device-Specific Field
Name	'The realtime scanning processes are running normally with no issues.'

## Event ID 7021

ArcSight ESM Field	Device-Specific Field
Name	'The transport scanning processes are running normally with no issues.'

## Event ID 7024

ArcSight ESM Field	Device-Specific Field
Name	'The MS Exchange Transport Service is running and the Forefront Agent is registered.'
Destination Service Name	'MS Exchange Transport Service'

## Event ID 7025

ArcSight ESM Field	Device-Specific Field
Name	'The MS Exchange Transport Service is running but the Forefront Agent is not registered'
Destination Service Name	'MS Exchange Transport Service'

## Event ID 7026

ArcSight ESM Field	Device-Specific Field
Name	'The MS Information Store is running and the Forefront VSAPI Library is registered.'

## Event ID 7028

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection Product is within the license period.'

## Event ID 7033

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection Product is within the license period.'

## Event ID 7035

ArcSight ESM Field	Device-Specific Field
Name	'There is at least amount of disk space available.'

## Event ID 7040

ArcSight ESM Field	Device-Specific Field
Name	'The Eventing Service (FSCEventing) is functioning.'
Destination Service Name	'FSC Eventing'

## Event ID 7044

ArcSight ESM Field	Device-Specific Field
Name	'The Mail Pickup Service (FSEMailPickup) is functioning.'
Destination Service Name	'FSEMailPickup'

## Event ID 7046

ArcSight ESM Field	Device-Specific Field
Name	'Content Filter is enabled and definitions have been updated in the last one hour'

## Event ID 7048

ArcSight ESM Field	Device-Specific Field
Name	'Content Filter is enabled and the last definition update was over 12 hours ago.'

## Event ID 7051

ArcSight ESM Field	Device-Specific Field
Name	'The Monitor Service (FSCMonitor) is functioning.'
Destination Service Name	'FSCMonitor'

## Event ID 7064

ArcSight ESM Field	Device-Specific Field
Name	'No archived undeliverable items exist'

## FSC Controller

## Event ID 1000

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection service is running.'
Destination Service Name	'Forefront Protection'

## Event ID 1001

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection service has stopped.'
Destination Service Name	'Forefront Protection'

## Event ID 1020

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection service is starting.'
Destination Service Name	'Forefront Protection'

## Event ID 1021

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection service is stopping.'
Destination Service Name	'Forefront Protection'

## Event ID 1022

ArcSight ESM Field	Device-Specific Field
Name	'Forefront Protection Version'
Device Version	%1 (version)
Additional data	%2 (Virus Protection Feature)

## Event ID 1023

ArcSight ESM Field	Device-Specific Field
Name	'Forefront Protection Service Pack'
Additional data	%1 (ServicePack)
Message	Both ('Forefront Protection Service Pack:',%1)

## Event ID 1024

ArcSight ESM Field	Device-Specific Field
Name	'Product ID'
Additional data	%1 (ProductID)
Message	Both ('Product ID:', %1)

## Event ID 1025

ArcSight ESM Field	Device-Specific Field
Name	'Licensed Components'
Message	All of (Licensed Components: Component, License Type, Expiration Date)

## Event ID 1026

ArcSight ESM Field	Device-Specific Field
Name	'Licensed Engines'
Additional data	%1 (LicensedEngines)
Message	Both ('Licensed Engines:', %1)

## Event ID 1028

ArcSight ESM Field	Device-Specific Field
Name	'System Information'
Additional data	%1 (System Information)
Message	Both ('System Information:', %1)

## Event ID 1037

ArcSight ESM Field	Device-Specific Field
Name	'Event Tracing session has been started.'
Device Severity	'Information'

## Event ID 1041

ArcSight ESM Field	Device-Specific Field
Name	'Scheduled Scan has been started'

## Event ID 1043

ArcSight ESM Field	Device-Specific Field
Name	'Scheduled Scan has stopped'

## Event ID 1044

ArcSight ESM Field	Device-Specific Field
Name	'Scheduled Scan has completed'

## Event ID 2102

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection application is still within the license period'

## Event ID 5167

ArcSight ESM Field	Device-Specific Field
Name	'Microsoft Forefront Protection Monitor detected abnormal process shutdown'
Source Process Name	%1 (process name)
Message	Both ('Microsoft Forefront Protection Monitor detected abnormal' %1,' shutdown')

## Event ID 5183

ArcSight ESM Field	Device-Specific Field
Name	'Scheduled scan exceeded the allowed scan time limit'

## Event ID 8046

ArcSight ESM Field	Device-Specific Field
Name	'AD Mark Created'

## Event ID 8055

ArcSight ESM Field	Device-Specific Field
Name	'Ad Mark Removed'
Message	'Failed to Delete Reg Key'

## FSC Eventing

## Event ID 1075

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection Eventing Service has started.'
Destination Service Name	'Forefront Protection Eventing'

## Event ID 1076

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection Eventing Service has stopped.'
Destination Service Name	'Forefront Protection Eventing'

## FSC Manual Scanner

### Event ID 1045

ArcSight ESM Field	Device-Specific Field
Name	'On-Demand Scan started.'
Request Client Operation	%1 (Request Client Operation)

### Event ID 1048

ArcSight ESM Field	Device-Specific Field
Name	'On-Demand Scan stopped.'
Request Client Operation	%1 (Request Client Operation)

### Event ID 1052

ArcSight ESM Field	Device-Specific Field
Name	'On-Demand Scan has been completed.'
Request Client Operation	%1 (Request Client Operation)

## FSC Scheduled Scanner

### Event ID 2080

ArcSight ESM Field	Device-Specific Field
Name	'Scheduled scan enabled.'

### Event ID 2081

ArcSight ESM Field	Device-Specific Field
Name	'Scheduled scan disabled.'



## Event ID 3009

ArcSight ESM Field	Device-Specific Field
Name	'Scheduled scan found virus.'
Device Custom String 4	mailbox name
Message	%2 (Message)
Device Custom String 1	virus name
Device Custom String 6	incident
Additional data	%4 (scan engine)
Device Action	%5 (Device Action)
File Name	%3 (File Name)

## FSC Realtime Scanner

## Event ID 2000

ArcSight ESM Field	Device-Specific Field
Name	'Realtime scan enabled.'

## Event ID 2001

ArcSight ESM Field	Device-Specific Field
Name	'Realtime scan disabled.'

## FSC Transport Scanner

## Event ID 2007

ArcSight ESM Field	Device-Specific Field
Name	'Transport scan enabled.'

## Event ID 2008

ArcSight ESM Field	Device-Specific Field
Name	'Transport scan disabled.'

## Event ID 3002

ArcSight ESM Field	Device-Specific Field
Name	'Internet scan found virus'
File Path	%1 (folder)
Message	%2 (Message)
File Name	%4 (file name)
Device Custom String 6	Incident
Device Action	%6 (Device Action or State)
Device Custom String 1	virus name
Additional data	%3 (message ID)
Additional data	%5 (scan engine)

## FSC Monitor

## Event ID 1007

ArcSight ESM Field	Device-Specific Field
Name	'Forefront Protection Monitor detected Information Store process started.'
Destination Process Name	'Information Store'

## Event ID 1008

ArcSight ESM Field	Device-Specific Field
Name	'Forefront Protection Monitor detected Information Store shutdown.'
Destination Process Name	'Information Store'

## Event ID 1013

ArcSight ESM Field	Device-Specific Field
Name	'Forefront Protection Monitor is active.'

## Event ID 1014

ArcSight ESM Field	Device-Specific Field
Name	'Forefront Protection Monitor is inactive.'

## FSE On Demand Nav

## Event ID 1049

ArcSight ESM Field	Device-Specific Field
Name	'The FseOnDemandNav service is running.'
Destination Process Name	'FseOnDemandNav'

## Event ID 1050

ArcSight ESM Field	Device-Specific Field
Name	'The FseOnDemandNav service has stopped.'
Destination Process Name	'FseOnDemandNav'

## FSE Mail Pickup

## Event ID 1029

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection Mail Pickup service is running.'
Destination Service Name	'Forefront Protection Mail Pickup'

## Event ID 1030

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection Mail Pickup service has stopped.'
Destination Service Name	'Forefront Protection Mail Pickup'

## FSE IMC

### Event ID 1002

ArcSight ESM Field	Device-Specific Field
Name	'FSEIMC service started.'
Destination Service Name	'FSEIMC'

### Event ID 1003

ArcSight ESM Field	Device-Specific Field
Name	'FSEIMC sertice stopped.'
Destination Service Name	'FSEIMC'

## FSE VS API

### Event ID 5066

ArcSight ESM Field	Device-Specific Field
Name	'Realtime scan exceeded the allowed scan time limit'

## FSC VSS Writer

### Event ID 1094

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection VSS Writer Service has started.'
Destination Service Name	'Forefront Protection VSS Writer Service'

### Event ID 1095

ArcSight ESM Field	Device-Specific Field
Name	'The Forefront Protection VSS Writer Service has stopped.'
Destination Service Name	'Forefront Protection VSS Writer Service'

## Get Engine Files

### Event ID 2011

ArcSight ESM Field	Device-Specific Field
Name	'Microsoft Forefront Protection did not detect any new scan engine updates'
Additional data	%1 (scan engine)
Request URL	%2 (request URL)

### Event ID 2012

ArcSight ESM Field	Device-Specific Field
Name	'Microsoft Forefront Protection performed a successful scan engine update'
Additional data	%1 (scan engine)
Request URL	%2 (request URL)

### Event ID 2017

ArcSight ESM Field	Device-Specific Field
Name	'Forefront Protection has rolled back a scan engine'
Additional data	%1 (scan engine)

### Event ID 2034

ArcSight ESM Field	Device-Specific Field
Name	'Microsoft Forefront Protection is attempting a scan engine update.'
Request URL	%2 (request url)
Additional data	%1 (scan engine)

## Event ID 2109

ArcSight ESM Field	Device-Specific Field
Name	'The VBuster scan engine is no longer supported'
Message	'Updates are no longer available for this engine, and therefore the update check for this engine has been disabled. Please review the scan engine chosen for your scan jobs and make another selection to ensure up-to-date protection'
Additional data	%1 (scan engine)
Request URL	%2 (request URL)

## Event ID 6012

ArcSight ESM Field	Device-Specific Field
Name	'Microsoft Forefront Protection encountered an error while performing a scan engine update'
Additional data	%1 (scan engine)
Reason	%2 (Error Code)
Message	%3 (Error Detail)

## Event ID 6014

ArcSight ESM Field	Device-Specific Field
Name	'Microsoft Forefront Protection encountered an error while performing a scan engine update.'
Additional data	%1 (scan engine)
Request URL	%2 (request url)
Additional data	%3 (proxy settings)
Reason	%4 (Error Code)
Message	%5 (Error Detail)

## Event ID 6019

ArcSight ESM Field	Device-Specific Field
Name	'Microsoft Forefront Protection encountered an error while performing a scan engine update'
Additional data	%1 (scan engine)

ArcSight ESM Field	Device-Specific Field
Message	%2 (Error Detail)

### Event ID 6020

ArcSight ESM Field	Device-Specific Field
Name	'Microsoft Forefront Protection encountered an error while performing a scan engine update'
Additional data	%1 (scan engine)
Request URL	%2 (request URL)
Message	%3 (Message)

# Send Documentation Feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this computer, click the link above and an email window opens with the following information in the subject line:

## **Feedback on Supplemental Configuration Guide (Connectors )**

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to [arc-doc@hpe.com](mailto:arc-doc@hpe.com).

We appreciate your feedback!