HP Project and Portfolio Management Center

Software Version: 9.20

What's New and What's Changed

Document Release Date: February 2013 Software Release Date: February 2013



Legal Notices

Warranty

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notices

© Copyright 1997-2013 Hewlett-Packard Development Company, L.P.

Trademark Notices

Adobe® is a trademark of Adobe Systems Incorporated.

Intel®, Intel® Itanium®, Intel® Xeon®, and Pentium® are trademarks of Intel Corporation in the U.S. and other countries.

Microsoft®, Windows®, Windows® XP, and Windows Vista® are U.S. registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

UNIX® is a registered trademark of The Open Group.

Documentation Updates

This manual's title page contains the following identifying information:

- Software version number, which indicates the software version
- Document release date, which changes each time the document is updated
- Software release date, which indicates the release date of this version of the software

To check for recent updates, or to verify that you are using the most recent edition of a document, go to:

h20230.www2.hp.com/selfsolve/manuals

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HP sales representative for details.

Support

You can visit the HP Software Support Web site at:

hp.com/go/hpsoftwaresupport

HP Software Support Online provides an efficient way to access interactive technical support tools. As a valued support customer, you can benefit by using the support site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Download software patches
- Manage support contracts
- Look up HP support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HP Passport user and sign in. Many also require a support contract.

To find more information about access levels, go to:

h20230.www2.hp.com/new access levels.jsp

To register for an HP Passport ID, go to:

h20229.www2.hp.com/passport-registration.html

Contents

| | What's New in PPM Center Version 9.20 | 7 |
|---|---|----|
| | What's New in PPM Center Version 9.20 | 7 |
| | Usability Enhancements | 8 |
| | Asynchronous Loading Implemented for Dashboard Page | 8 |
| | User Interface Enhancements | |
| | HP Demand Management | 12 |
| | Request Details Page | 12 |
| | Submenu Options for Create Request | 13 |
| | HP Program Management | 13 |
| | HP Document Management | 14 |
| | Remodelled Document Management System | 14 |
| | Other Notable Enhancements to Document Management System | 15 |
| | HP Solution Integrations | 16 |
| | Enhancements to ALM Bundle 9.20 | 16 |
| | Centralized Integration Landing Page | 17 |
| | PPM Center Integration with Quality Center/HP ALM (Using ALM) | 18 |
| | View Project Quality (PPM Center Integration with HP ALM) | 20 |
| | Agile Integration Solution (PPM Center Integration with HP Agile Manager) | 21 |
| | HP Resource Management | 21 |
| | Open Interface | 21 |
| | LDAP Import Supports Importing Users from Org Units with Non-Unique Names | 22 |
| | Upgrade Considerations | 22 |
| | Changed and New Document Titles | 23 |
| | Related Information. | 23 |
| 2 | Upgrade Impact | 25 |
| | Overview of Upgrade Considerations | |
| | Upgrade Path | |
| | - r o | |

| Oracle Database Compatibility | 26 |
|--|----|
| Microsoft Windows | 26 |
| Oracle | 27 |
| HP-UX | 27 |
| IBM AIX | 28 |
| Red Hat Linux | 28 |
| SUSE Linux | 29 |
| Extensions and Migrators Compatibility | |
| HP Deployment Management Extension for Oracle E-Business Suite | |
| HP Object Migrator and Mercury GL Migrator | |
| HP Deployment Management Extension for Oracle Technology | |
| HP Deployment Management Extension for SAP Solutions | |
| Customized Solutions | |
| Data Model Changes | |
| Tables | |
| Views | |
| Entity Changes | 44 |
| Access Grants | 44 |
| Licenses | 45 |
| Portlets | 46 |
| Report Types | 46 |
| Request Header Type Field Groups | 47 |
| Request Types | 47 |
| Special Commands | 48 |
| Validations | 48 |
| Workflows | 49 |
| System Requirements and Configuration Updates | |
| Overview of System Modifications. | |
| server.conf File Changes | |
| Additions and Modifications | |

1 What's New in PPM Center Version 9.20

What's New in PPM Center Version 9.20

This version of the HP Project and Portfolio Management Center (PPM Center) product features enhancements in the following key areas as compared to version 9.14:

- Usability Enhancements
- HP Demand Management
- HP Program Management
- HP Document Management
- HP Solution Integrations
- HP Resource Management

For more information, also see the relevant product guides.

Many new features and changes introduced in versions 9.11, 9.12, 9.13, and 9.14 are included in version 9.20. However, the minor minor version in which a feature was introduced is not necessarily identified in this document. For more details about new features and changes introduced in versions 9.11 through 9.14, see the *Release Notes* for version 9.14.



Defect fixes included in patches (up until 9.14.0004) on top of version 9.14 are also rolled into version 9.20. You may also want to see the *Release Notes* for version 9.14.0004.

Usability Enhancements

Usability enhancements have been made throughout the product. Numerous of these modifications may be transparent to you. However, you may notice some significant usability improvements that improve your user experience with the PPM Center product.

Key areas of improvements are described in the following sections.

Asynchronous Loading Implemented for Dashboard Page

In previous versions, PPM Center displays portlets on the Dashboard page only when loading of all data is complete.

In version 9.20, asynchronous loading is implemented, allowing the display of portlets on the Dashboard page to be loaded more efficiently. As soon as data loading for individual portlets is complete, the individual portlets are displayed. This allows users to check data in these portlets first while the system loads data for other portlets on the Dashboard page.

User Interface Enhancements

User interface of PPM Center has been improved greatly to bring you a brand new HP Experience style look and feel of the PPM Center product.

In addition, the standard user interface pages have been enhanced in the following ways:

- "Jump To" Quick Navigation Panel Added to Request Pages
- New Ribbon Style Toolbar on the Top of PPM Center Pages
- Error Tips Available for Unfilled Required Fields
- Modify Search Button Added to Search Results Pages
- A New Statistics Section

"Jump To" Quick Navigation Panel Added to Request Pages

Request pages in PPM Center can be very long as they can contain many components. In previous versions, PPM Center users have to scroll up or down the long pages to locate a specific section that they want to work on. It is even more difficult when the request pages are very long.


To improve the usability, PPM Center version 9.20 introduced a new **Jump To** navigation panel on the following pages:

- Create New Request page
- Request Details page

To jump to a particular section on a page, click its section name link from the **Jump To** navigation panel. Section names turn red if the sections contain unfilled required fields.

The **Jump To** navigation panel is expanded by default (as illustrated in *Figure 1-1*). To collapse it, click the arrow button in the upper-right corner of the panel.

Figure 1-1. New Jump To navigation panel and Ribbon Toolbar



New Ribbon Style Toolbar on the Top of PPM Center Pages

In previous versions, action buttons are located in different places on PPM Center pages. Users have to remember the locations of the action buttons when working with these pages.

Version 9.20 introduced a ribbon style toolbar that collects all action buttons on the following pages into one place:

- Create New Request page
- Request Details page
- Edit Time Sheet page
- Financial Summary page
- Financial Data page
- Program Overview page
- Project Overview page
- Task Details page

The new ribbon style toolbar is located at the top of the pages. This saves users effort in finding and remembering positions of related action icons while they work with the long pages.

Depending on the access grant of the current user, the numbers of action buttons displayed vary. If more than three action buttons are available, only the first two of them are displayed. To access more action buttons, click the **More** button for more options. The **Cancel Request** button on the Request Details page and on the Project Details tab of the Project Overview Page always appears at the end of the **More** drop-down list.

The **Available Actions** section in previous versions was merged into the new ribbon style toolbar as well. If a request or project is at a certain step in a workflow, available workflow step actions are displayed in the ribbon toolbar as well, in the form of blue buttons, to the left end of the toolbar (as illustrated in *Figure 1-1*).

Error Tips Available for Unfilled Required Fields

Error tips are available for unfilled required fields, which appear at the top of the pages when users click **Save** or **Submit** without filling all required fields. The error tips contain label names for all unfilled required fields. Clicking a label name in the error tips leads users to the related field (highlighted in red). This allows users to work with PPM Center more easily and efficiently.

Modify Search Button Added to Search Results Pages

In previous versions, PPM Center displays search criteria at the bottom of Search Results pages. Search results pages can be very long if they contain many search results. PPM Center users have to scroll down the long pages to change search criteria.

To improve the usability, PPM Center version 9.20 introduced a new **Modify Search** button in the upper-right corner of the following pages:

- Package Search Results page
- Program Issue Search Results page
- Program Risk Search Results page
- Program Search Results page
- Project Issue Search Results page
- Project Risk Search Results page
- Project Scope Change Search Results page
- Project Search Results page
- Report Search Results page
- Request Search Results page
- Staffing Profile Search Results page
- Task Search Results page
- Time Sheet Search Results page

A New Statistics Section

A new **Statistics** section is available on the following pages:

- Financial Summary page
- Financial Data page
- Task Details page

In the **Statistics** section, users can find general information such as name, status, and description.

HP Demand Management

Request Details Page

The Request Details page has been enhanced in the following ways:

• To help users distinguish between similarly named requests, the request title on the Request Details page displays the request number as well as the request description, in the following format:

<Request Type> <Request Number> - <Request Description>

For example: **DEM - Application Bug 30182 - Application fails when saving after using new Ops modules**

- The following button names have been changed on the Request Details page:
 - Make a Copy is renamed Copy.
 - Delete is renamed Delete Request.
 - o Printable Version is renamed Print.
- In the top section, the **Request Status** field is moved to the upper-right corner of the page. Users can click the status to go to the **Status** section.
- In the Status section, the View Available Actions link is removed.

Submenu Options for Create Request

In previous versions, users have to go to the Create New Request page every time when they want to create requests.

To improve the usability, version 9.20 introduced **Create Request** submenu options. Users can create a request with a recently used request type by clicking **Create > Request > <Request Type>**. The **Create Request** submenu lists five most recently used request types, corresponding to request types listed in the **Create Based on Desired Action** section of the Create New Request page. If users have deleted all requests of a request type (including closed requests), the request type is removed from the **Create Request** submenu. The **Create Request** submenu disappears when all request types created most recently are removed.

HP Program Management

The Program Overview page has been enhanced in the following ways:

- The following new columns are available to all users to add to programs listed on the Program Overview page:
 - Forecast Benefit
 - Actual Benefit
 - Approved Budget
 - Approved Budget (subordinate to Capital Cost in the list of selectable columns)
 - Approved Budget (subordinate to Operating Cost in the list of selectable columns)
- When a user clicks Export to Excel in the upper-right corner of the Program Overview page, only the displayed columns in the Content section are exported to Excel, in the order they are displayed. In other words, the Excel file reflects any changes a user has made to the columns selected for display and to the column layout.

HP Document Management

PPM Center version 9.20 provides DMS functions out-of-the-box and removes the need of installing separate 3rd-party content and index servers.

Remodelled Document Management System

The HP Document Management System (DMS) is remodelled to fully leverage your current Oracle databases—either a PPM Center—dedicated database or an external database on your network, providing you the standard out-of-the-box document management capabilities.

PPM Center version 9.20 offers the following DMS solutions:

- **PPM Center Database DMS:** Requiring no additional software or hardware products, this solution stores documents in PPM Center database, but provides documents check-in/out and versioning functionalities out-of-the-box. Full Text Search can also be enabled by creating the required Oracle TEXT indexes and updating a PPM Server parameter from the Administrator Console. From PPM Center users' perspective, this solution provides all the features of a Documentum-based DMS solution, as well as a new feature to search only the latest versions of documents or to search all versions. No additional deployment or configuration required, and no extra license cost.
- PPM Center External Database DMS: Provides the same features as the PPM Center Database DMS solution, except that the documents are saved in an external database schema, instead of in the PPM Center database schema
- **PPM Center File System:** The File System DMS solution only offers "attachment-like" behavior, and offers none of the features expected from a Document Management System. This is the default DMS solution provided in a fresh install of PPM Center version 9.20.

The Documentum-based document management solutions (either using HP version of EMC Documentum Content Server EE software or integration with stand-alone instance of EMC Documentum Content Server EE software using connector) are not available DMS options in PPM Center version 9.20.

If you are still using a Documentum-based DMS solution, make sure you migrate it to a supported DMS solution before you upgrade your PPM Center to version 9.20.

For details about supported migration paths, migration instructions, and more information about the new DMS solutions, see the *Document Management Guide and Reference*.

Other Notable Enhancements to Document Management System

Other notable enhancements to DMS include:

- Performing DMS Migration from the Administrator Console
 - The DMS Migration feature, introduced since PPM Center version 9.13, allows you to migrate easily to a supported target DMS:
 - Migration occurs while PPM Server is online, and has almost no impact on PPM users. They can keep on checking in and checking out files, and add new attachments.
 - Once the migration is completed, you are able to test the new solution during a "transition period" while the old solution is still available. If you meet any issue with the new DMS system, you can always cancel the migration and go back to the existing solution, and no document is lost in the process.
 - You can schedule the time at which the migration is running, and adjust different parameters to control what load the migration can have on the PPM system. Note however that migration process has a relatively limited impact on PPM Server performance under standard server load.
- kConfig update: The kConfig tool is enhanced to help you fix broken documents before you migrate a Documentum-based document management solution to a supported target solution.
- Edit DMS Configuration directly from the Administrator Console
- Search historical versions: A new option available on the Search <*Entities*> page when a new database-based DMS is used as the current DMS and the full text search feature is enabled.

HP Solution Integrations

PPM Center supports integrations with other HP products, using Application Lifecycle Management (ALM) integration bundle, as well as other new integrations that do not depend on the ALM entities:

- Enhancements to ALM Bundle 9.20
- Centralized Integration Landing Page
- Enhanced integration solutions with HP Quality Center/HP Application
 Lifecycle Management. See PPM Center Integration with Quality Center/
 HP ALM (Using ALM).
- Integration with HP ALM for retrieval of project quality information and quality matrix for the View Project Quality integration solution. See *View Project Quality (PPM Center Integration with HP ALM)*.
- Integration with HP Agile Manager for retrieval and display of status and progress of agile development projects managed using HP Agile Manager. See *Agile Integration Solution (PPM Center Integration with HP Agile Manager)*

Enhancements to ALM Bundle 9.20

PPM Center includes Application Lifecycle Management (ALM) integration bundle, a solution that lowers the cost and risk of application change within your organization and can also accelerate the time to market for your applications. ALM bundle supports integrations with HP Service Manager, HP Universal CMDB, HP Quality Center version 10 and HP Application Lifecycle Management version 11.00 or later, HP Change Control Management, and HP Release Control.

The functionality and entities of ALM bundle 9.20 for PPM Center 9.20 are almost identical to ALM bundle 9.10 for PPM Center 9.10. If ALM bundle 9.10 is installed, there is no need to install the new bundle.

The enhancements to ALM bundle 9.20 include the follows:

- Added the following two request statuses so that users can add them to appropriate workflow steps of the ALM - Request for Change workflow as needed:
 - 3-Test Lab Setup Completed
 - 5-Test Execution Completed

Always customize the ALM - Request for Change workflow template by adding the two request statuses to appropriate workflow steps. It is not a good practice to use this workflow provided in the ALM bundle directly. The workflow is provided as a template to minimize your workflow creation effort.

Renamed the Quality Center Defect Information field group to QC/ALM
 Defect Information and the Quality Center Info field group to QC/ALM Info


QC refers to HP Quality Center Enterprise Edition version 10.00; ALM refers to the standard HP ALM (Application Lifecycle Management) edition version 11.x, including versions 11.00, 11.20, and 11.50. To accommodate this product name change, these two field groups are renamed and the fields names are renamed as well.

For more information about the ALM bundle, see the *HP Solution Integrations Guide*.

Centralized Integration Landing Page

PPM Center version 9.20 introduced a centralized landing page for the integration solutions. You can access it by clicking **Open > Administration > Integrations** from the menu bar.

Figure 1-2. Integration Configuration Landing Page



The integration landing page offers:

- A centralized and consolidated view of all integration configurations
- Consolidated configuration, including documents and tools
- Easy and unified configuration process
- Step by step guidance in configuration
- A navigation pane to switch between different integration solutions

PPM Center Integration with Quality Center/HP ALM (Using ALM)

Enhancements to the Solution

Key enhancements to the solution include:

- Allows you to specify the requirement type for requirement synchronization purpose by adding the QC/ALM Requirement Type field to the QC/ALM Info field group
- Allows you to control whether the synchronization shall be optional by providing two fields:

- o Synchronize to QC/ALM Requirement (Yes or No Radio Buttons)
- QC/ALM Control Field (drop-down list)
- Easy and unified configurations, including
 - Pre-configured default value mapping list for quick configuration
 - Intuitive and straightforward icon with different statuses for enabling or disabling an integration configuration with a simple click
 - Step by step configuration guidance
- For integration of PPM Center request type and QC/ALM defect, a third option for bi-directional integration is available in the Integration Options section on the Configure QC/ALM Integration for Request Type page:
 Creating a PPM Center request automatically creates an associated QC/ALM entity and vice versa.
- Allows you to add new integration configuration easily, and map one ALM request type to multiple entities from different QC/ALM domains or projects.

Upgrading PPM Center Integration with Quality Center (Using ALM)

In PPM Center version 9.14, it is possible to upgrade your PPM Center integration with Quality Center version 9.2 or 10 to the integration with HP Application Lifecycle Management (ALM) version 11.00.

In PPM Center version 9.20, you can upgrade your PPM Center integration with Quality Center version 10 to the integration with HP Application Lifecycle Management (ALM) version 11.00 or later. This applies to upgrading from any combination of QC 10 with PPM Center 9.1x/8.0x/7.x to the combination of PPM Center 9.20 and ALM 11.x.

Note that though the Quality Center Defect Information field group and the and the Quality Center Info field group have been renamed to QC/ALM Defect Information field group and the QC/ALM Info field group respectively in PPM Center version 9.20, upgrading the integration configuration does not upgrade the Quality Center Defect Information section or the Quality Center Info section of the existing requests.

For instructions on upgrading the integration configuration, see the *HP Solution Integrations Guide*.

View Project Quality (PPM Center Integration with HP ALM)

PPM Center version 9.20 introduced a new integration solution between PPM Center and HP ALM — View Project Quality.

This integration solution aims to offer project managers:

- Management of both PPM Center projects and HP ALM releases
- Visibility of quality KPIs from PPM Center projects
- Visibility of ALM Scorecard from PPM Center projects

After PPM Center administrators performed necessary configuration tasks to enable the integration, project managers can create new projects and then, they are able to view quality-related KPIs and other information through the following portlets that are added to the Project Overview page by default:

| New Portlet | Description |
|------------------------------|---|
| Requirement Trends | Displays requirement statuses trend in the last 10 days. The requirement status includes requirement coverage. |
| Open Defect Trends | Displays open defects trend in the last 10 days. The open defects include open defects number and total defects number. |
| Priority Defects Trends | Displays trend of defects of high severity in the last 10 days. The higher severity defects include defects of severity S1 and S2. |
| Project Quality Scorecard | Displays ALM release scorecard information. The scorecard portlet is displayed only when the ALM scorecard information is configured in the project request field of the Project Planning and Tracking (PPT) module in ALM. |

For detailed information about the View Project Quality integration solution, see the *HP Solution Integrations Guide*.

Agile Integration Solution (PPM Center Integration with HP Agile Manager)

The integration between PPM Center and HP Agile Manager allows project managers, program managers, portfolio managers, and other project stakeholders to have:

- Visibility into real-time status and progress of agile development projects from within PPM Center, without having to log on to HP Agile Manager for details
- A consolidated view of their tasks and agile development initiatives

The integration allows project managers to map a task under a project to a specific release managed in HP Agile Manager. Each PPM Center task is associated with a single release in HP Agile Manager throughout the task life cycle. This is a one-way one-to-one mapping relationship.

After the mapping relationship is established, the project managers are able to view real-time agile development related charts retrieved from HP Agile Manager. In addition, project managers can also view the overall release hierarchy information of a specific work package from within PPM Center.

For detailed information about Agile Integration Solution, see the *HP Solution Integrations Guide*.

HP Resource Management

Open Interface

The new user open interface includes the following enhancements:

- A new interface table RSC_RESOURCES_INT is introduced to store the resource attributes.
- Information can be loaded from LDAP into the resource attributes.
- Resource attributes can be loaded from interface table into PPM Center.

LDAP Import Supports Importing Users from Org Units with Non-Unique Names

By adding new columns to the KRSC_ORG_UNITS_INT and KRSC_ORG_UNITS_MEMBERS_INT tables, PPM Center now supports importing users from organization units that do not have unique names but are of different hierarchical levels. A **Hierarchy** column or option is added to pages or pop-up windows that are related to Org Units to help differentiate the hierarchical levels of the Org Units you import.

The **Hierarchy** column or option also appear on the following pages:

| Page | New Column or Option |
|-------------------------------------|---|
| Search Resources | Hierarchy column in the popup selector window for the Org Unit field |
| Search Organization Units | Hierarchy as a drop-down list option for the Sort By field |
| | Hierarchy column on the Search Results page |
| Search Resource Pools | Hierarchy column in the popup selector window |
| Analyze Assignment Load Data Export | for the Primary Organization Unit field |
| Search Resource Availability | Hierarchy column in the popup selector window for the Organization Unit field |

Upgrade Considerations

When you upgrade from version 9.1x to version 9.20, consider impacts in the following areas:

• **Upgrade process.** Specific information about the impact of the upgrade process on your existing PPM Center instance is provided in Chapter 2, *Upgrade Impact*, on page 25.

This chapter also addresses changes to the PPM Center data model and entities—these may affect customizations introduced on your PPM Center instance.

• **System administration.** Items of interest to the PPM Center system administrators or database administrator are detailed in Chapter 3, *System Requirements and Configuration Updates*, on page 51.

Changed and New Document Titles

Table 1-1 lists the title changes made to documentation for PPM Center version 9.20.

Table 1-1. Changes to document titles in PPM Center version 9.20

| PPM Center Version 9.10 and Earlier | PPM Center Version 9.20 |
|--|--|
| N/A | RESTful Web Services Guide (added in 9.20) |

Related Information

The following documents provide detailed information about the installation, configuration, and customization of this version:

- Installation and Administration Guide
- Document Management Guide and Reference
- Upgrade Guide
- System Requirements and Compatibility Matrix
- Customizing the Standard Interface
- Getting Started

For additional details, you may also want to consult the documentation for the following PPM Center product areas:

- HP Demand Management
- HP Deployment Management

- HP Financial Management
- HP Portfolio Management
- HP Project Management
- HP Program Management
- HP Resource Management
- HP Time Management
- Application Lifecycle Management
- HP Center Management for Quality Center
- HP Document Management
- Web services
- Operational Reporting

2 Upgrade Impact

Overview of Upgrade Considerations

This chapter focuses on the impact of the upgrade process as well as the resulting changes to the PPM Center data model and entities. Also included are tables that identify the upgrade path and compatibility of the third-party products used with the PPM Center database, Extensions, and Migrators.

Upgrade Path

To upgrade to PPM Center version 9.20, you must have PPM Center version 9.10 (with or without service packs) installed. If an earlier version is installed, you must first upgrade to version 9.10, and then upgrade to PPM Center version 9.20. For information about how to upgrade to version 9.10, see the *Upgrade Guide* for version 9.10.

Remember that changes in the supported versions of third-party products, such as the Oracle® database software, may affect your upgrade. To determine—and plan—your environments for the upgrade, see the *Installation and Administration Guide* and *System Requirements and Compatibility Matrix*.

Oracle Database Compatibility

The following tables (*Table 2-1* through *Table 2-5*) provide an overview of the Oracle database versions supported for the PPM Server in PPM Center versions 9.10 and 9.20. For additional details specific to these versions, see the *System Requirements and Compatibility Matrix* document for each version.

Environments that are *not* supported in version 9.20 of PPM Center are shown in the lightly shaded areas in the following tables. Combinations shown in unshaded areas are supported for version 9.20 of PPM Center and may coincide with earlier supported environments.



All installed Oracle versions must include the most recent patches and follow the guidelines provided in the latest *Critical Patch Update*. This information is available from https://metalink.oracle.com.

Microsoft Windows

Table 2-1. Oracle database and Microsoft Windows platform support for PPM Center versions 9.1x and 9.20

| | Windows Server 2003 | Windows Server 2003 SP1 | Windows Server 2003 SP2 | Windows Server 2003 R2 | Windows Server 2003 R2 SP2 | Windows Server 2008 | Windows Server 2008 R2 |
|--------------------------|---|--|---|---|---|--|--|
| Oracle Version | Standard & Enterprise Editions (both 32-bit and 64-bit) | Standard & Enterprise Editions (32-bit) | Standard & Enterprise Editions (both 32-bit and 64-bit) | Standard & Enterprise Editions (both 32-bit and 64-bit) | Standard & Enterprise Editions (both 32-bit and 64-bit) | Standard, Enterprise & Datacenter Edition (64-bit) | Standard & Enterprise Editions (64-bit) |
| 11.1.0.7 11.1.0.7 RAC | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 |
| 11.2.0.1 11.2.0.1 RAC | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 |
| 11.2.0.2 | 9.12~9.14 | 9.12~9.14 | 9.12~9.14 | 9.12~9.14 | 9.12~9.14 | 9.12~9.14 | 8.00.01 |
| 11.2.0.2 RAC | 9.20 | 9.20 | 9.20 | 9.20 | 9.20 | 9.20 | 9.20 |
| 11.2.0.3 | 9.14 | 9.14 | 9.14 | 9.14 | 9.14 | 9.14 | 9.14 |
| 11.2.0.3 RAC | 9.20 | 9.20 | 9.20 | 9.20 | 9.20 | 9.20 | 9.20 |

Oracle

Table 2-2. Oracle database and Oracle platform support for PPM Center versions 9.1x and 9.20

| Oracle Version | Solaris 9 ª | Solaris 10 b | Oracle Enterprise Linux 5 | Oracle Enterprise Linux 6 |
|--------------------------|-------------------|-------------------|------------------------------|------------------------------|
| 11.1.0.7 11.1.0.7 RAC | 9.10~9.14 | 9.10~9.14 | 9.14 | not supported |
| 11.2.0.1 11.2.0.1 RAC | 9.10~9.14 | 9.10~9.14 | 9.14 | not supported |
| 11.2.0.2 11.2.0.2 RAC | 9.12~9.14 9.20 | 9.12~9.14 9.20 | 9.14 9.20 | 9.20 |
| 11.2.0.3 11.2.0.3 RAC | 9.14 9.20 | 9.14 9.20 | 9.14 9.20 | 9.20 |

a. PPM Center version 9.1x support includes Solaris 9 Patches 1 through 9.

HP-UX

Table 2-3. Oracle database and HP-UX platform support for PPM Center versions 9.1x and 9.20

| Oracle Version | HP-UX 11i v2 ° | HP-UX 11i v3 ° |
|--------------------------|----------------|----------------|
| 11.1.0.7 11.1.0.7 RAC | 9.10~9.14 | 9.10~9.14 |
| 11.2.0.1 11.2.0.1 RAC | 9.10~9.14 | 9.10~9.14 |
| 11.2.0.2 | 9.12~9.14 | 9.12~9.14 |
| 11.2.0.2 RAC | 9.20 | 9.20 |
| 11.2.0.3 | 9.14 | 9.14 |
| 11.2.0.3 RAC | 9.20 | 9.20 |

a. Includes both PA-RISC and Itanium support for version 9.1x, and only Itanium support for version 9.20.

Upgrade Impact 27

b. PPM Center version 9.1x support includes Solaris 10 Patches 1 through 8.

IBM AIX

Table 2-4. Oracle database and IBM AIX platform support for PPM Center versions 9.1x and 9.20

| Oracle Version | AIX 5L Version 5.3 | AIX Version 6.1 | AIX Version 7.1 |
|--------------------------|--------------------|-------------------|-----------------|
| 11.1.0.7 11.1.0.7 RAC | 9.10~9.14 | 9.10~9.14 | not supported |
| 11.2.0.1 11.2.0.1 RAC | 9.10~9.14 | 9.10~9.14 | not supported |
| 11.2.0.2 11.2.0.2 RAC | 9.12~9.14 | 9.12~9.14 9.20 | 9.20 |
| 11.2.0.3 11.2.0.3 RAC | 9.12~9.14 | 9.14 9.20 | 9.20 |

Red Hat Linux

Table 2-5. Oracle database and Red Hat Linux platform support for PPM Center versions 9.1x and 9.20

| Oracle Version | Red Hat Enterprise Linux AS 4.0 a c | Red Hat Enterprise Linux AS 5.0 bc | Red Hat Enterprise Linux AS 6.0 ^c |
|--------------------------|--|---------------------------------------|---|
| 11.1.0.7 11.1.0.7 RAC | 9.10~9.14 | 9.10~9.14 | not supported |
| 11.2.0.1 11.2.0.1 RAC | 9.10~9.14 | 9.10~9.14 | not supported |
| 11.2.0.2 11.2.0.2 RAC | 9.12~9.14 | 9.12~9.14 9.20 | 9.20 |
| 11.2.0.3 11.2.0.3 RAC | 9.12~9.14 | 9.14 9.20 | 9.20 |

a. PPM Center version 9.1x support includes initial AS 4.0 release and Updates 1 through 6.

b. PPM Center version 9.1x support includes initial AS 5.0 release and Updates 1 through 4.

c. Both 32- and 64-bit platforms are supported.

SUSE Linux

Table 2-6. Oracle database and SUSE Linux platform support for PPM Center versions 9.1x and 9.20

| Oracle Version | SUSE Linux Enterprise 9 a c | SUSE Linux Enterprise 10 bc | SUSE Linux Enterprise 11 ° |
|--------------------------|--------------------------------|--------------------------------|-------------------------------|
| 11.1.0.7 11.1.0.7 RAC | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 |
| 11.2.0.1 11.2.0.1 RAC | 9.10~9.14 | 9.10~9.14 | 9.10~9.14 |
| 11.2.0.2 11.2.0.2 RAC | 9.12~9.14 | 9.12~9.14 9.20 | 9.20 |
| 11.2.0.3 11.2.0.3 RAC | 9.12~9.14 | 9.12~9.14 9.20 | 9.20 |

a. PPM Center version 9.1x support includes initial Enterprise 9 release and SP1 through SP4.

Upgrade Impact 29

b. PPM Center version 9.1x support includes initial Enterprise 10 release and SP1 through SP3.

c. Both 32- and 64-bit platforms are supported.

Extensions and Migrators Compatibility

HP Deployment Management Extension for Oracle E-Business Suite

Table 2-7 details the versions of Oracle E-Business Suite that are supported by the various versions of the HP Deployment Management Extension for Oracle E-Business Suite and PPM Center.

Versions that are *not* supported on PPM Center version 9.20 are shown in the lightly shaded areas. Combinations shown in unshaded areas are supported for this version of PPM Center.

Table 2-7. Oracle E-Business Suite and HP Deployment Management Extension for Oracle E-Business Suite versions supported on PPM Center versions 9.1x and 9.20 (page 1 of 2)

| Oracle E-Business Suite Version | HP Deployment Management Extension for Oracle E-Business Suite Version 9.10 |
|---|--|
| 11–11.5.6 | 9.10, 9.11 |
| 11.5.7 Application Object Library: FND.E Applications DBA: AD.F Common Modules: AK.D Financials Suite: Family Pack A 11.5.8 | 9.10~9.14 9.20 |
| Application Object Library: FND.F Applications DBA: AD.G Common Modules: AK.E Financials Suite: Family Pack C | 9.10~9.14 9.20 |
| 11.5.9 ^a Application Object Library: FND.G Applications DBA: AD.H Common Modules: AK.F Financials Suite: Family Pack D | 9.10~9.14 9.20 |

Table 2-7. Oracle E-Business Suite and HP Deployment Management Extension for Oracle E-Business Suite versions supported on PPM Center versions 9.1x and 9.20 (page 2 of 2)

| Oracle E-Business Suite Version | HP Deployment Management Extension for Oracle E-Business Suite Version 9.10 |
|---|--|
| 11.5.10 ^{a, b} Application Object Library: FND.H Applications DBA:AD.I Common Modules: AK.G Financials Suite: Family Pack F | 9.10~9.14 9.20 |
| 11.5.10.2 (CU2) ^b Application Object Library:FND.H Applications DBA: AD.I.6 Common Modules: AK.G Financials Suite: Family Pack F | 9.10~9.14 9.20 |
| 12.0.0–12.1.2 Applications Technology: R12.ATG_PF.A–R12.ATG_PF.B.DELTA.2 Applications DBA: R12.A–R12.AD.B.DELTA.1 | 9.10~9.14 9.20 |
| 12.1.3 Applications Technology: R12.ATG_PF.A-R12.ATG_PF.B.DELTA.3 Applications DBA: R12.A-R12.AD.B.DELTA.3 | 9.12~9.14 9.20 |

a. 11.5.8 with the FND.G Mini Pack is functionally equivalent to 11.5.9.

Upgrade Impact 31

b. 11.5.8-11.5.9 with the FND.H Mini Pack is functionally equivalent to 11.5.10.

HP Object Migrator and Mercury GL Migrator

Table 2-8 details the versions of Oracle E-Business Suite that are supported by the various versions of the Migrators and the HP Deployment Management Extension for Oracle E-Business Suite.

Versions that are *not* supported on PPM Center version 9.20 are shown in the lightly shaded areas. Combinations shown in unshaded areas are supported for this version of PPM Center.

Table 2-8. Oracle E-Business Suite and HP Migrator versions supported on HP Deployment Management Extension for Oracle E-Business Suite versions 9.1x and 9.20 (page 1 of 2)

| Oracle E-Business Suite Version | Kintana Object*Mi- grator Version 5.1 | Mercury Object Migrator Version 6.0 | HP Object Migrator Version 7.5 | Kintana GL*Migrator Version 2.0 | Mercury GL Migrator Version 6.0 |
|---|--|--|--------------------------------------|---------------------------------------|---------------------------------------|
| 11–11.5.1 | 9.1x | 9.1x | 9.1x | 9.1x | 9.1x |
| 11.5.2–11.5.6 | 9.1x | 9.1x | 9.1x | not supported | 9.1x |
| 11.5.7 Application Object Library: FND.E Applications DBA: AD.F Common Modules: AK.D Financials Suite: Family Pack A | 9.10~9.14 9.20 | 9.10~9.14 9.20 | 9.10~9.14 9.20 | not supported | 9.10~9.14 9.20 |
| 11.5.8 Application Object Library: FND.F Applications DBA: AD.G Common Modules: AK.E Financials Suite: Family Pack C | 9.10~9.14 9.20 | 9.10~9.14 9.20 | 9.10~9.14 9.20 | not supported | 9.10~9.14 9.20 |
| 11.5.9 ^a Application Object Library: FND.G Applications DBA: AD.H Common Modules: AK.F Financials Suite: Family Pack D | 9.10~9.14 9.20 | 9.10~9.14 9.20 | 9.10~9.14 9.20 | not supported | 9.10~9.14 9.20 |

Table 2-8. Oracle E-Business Suite and HP Migrator versions supported on HP Deployment Management Extension for Oracle E-Business Suite versions 9.1x and 9.20 (page 2 of 2)

| Oracle E-Business Suite Version | Kintana Object*Mi- grator Version 5.1 | Mercury Object Migrator Version 6.0 | HP Object Migrator Version 7.5 | Kintana GL*Migrator Version 2.0 | Mercury GL Migrator Version 6.0 |
|---|--|--|---|---------------------------------------|---------------------------------------|
| 11.5.10 with FND.H Mini Pack ^{a, b, d} Application Object Library: FND.H Applications DBA:AD.I Common Modules: AK.G Financials Suite: Family Pack F | not supported | 9.10~9.14 9.20 | 9.10~9.14 9.20 | not supported | 9.10~9.14 9.20 |
| 11.5.10.2 (CU2) c, d Application Object Library:FND.H Applications DBA: AD.I.6 Common Modules: AK.G Financials Suite: Family Pack F | not supported | 9.10~9.14 9.20 | 9.10~9.14 9.20 | not supported | 9.10~9.14 9.20 |
| 12.0.0–12.1.2 Applications Technology: R12.ATG_PF.A– R12.ATG_PF.B.DELTA.2 Applications DBA: R12.A–R12.AD.B.1 | not supported | not supported | 9.10~9.14 ^e | not supported | not supported |
| 12.1.3 Applications Technology: R12.ATG_PF.A- R12.ATG_PF.B.DELTA.3 Applications DBA: R12.A-R12.AD.B.3 | not supported | not supported | 9.12~9.14 ^e 9.20 ^e | not supported | not supported |

a. 11.5.8 with the FND.G Mini Pack is functionally equivalent to 11.5.9.

e. Apply the patch to Object Migrator 7.5 that makes it compatible with R12.1.2.

Upgrade Impact 33

b. 11.5.8-11.5.9 with the FND.H Mini Pack is functionally equivalent to 11.5.10 (for HP Object Migrator). 11.5.8-11.5.9 with the Financials Family Pack F is functionally equivalent to 11.5.10 (for HP GL Migrator).

c. See the HP Object Migrator Oracle Apps Version 11.5.10.2 Compatibility Patch (#174141) Readme for details.

d. Support for the Oracle Applications E-Business Suite version 11.5.10 with the 10G database version requires installation of patch 154770. See the HP Object Migrator Version 6.0 Database version 10G Compatibility Patch (#154770) readme for details.

HP Deployment Management Extension for Oracle Technology

There are no changes in the support for the HP Deployment Management Extension for Oracle Technology in this version of PPM Center. However, the new version of the Extension must be installed after an upgrade.

HP Deployment Management Extension for SAP Solutions

There are no changes in the supported SAP modules, archives, and platforms in the HP Deployment Management Extension for SAP Solutions in this version of PPM Center. However, the new version of the Extension must be installed after an upgrade.

Customized Solutions

As with any upgrade, customized solutions are at risk of not functioning exactly as intended once an upgrade is completed. Carefully review your existing customizations before proceeding with the upgrade. New features and functionality provided in this version may make your customizations obsolete.

Data Model Changes

The section describes the major changes to the data model in this version, as compared to version 9.10.

Tables

Table 2-9 details the changes to tables since PPM Center version 9.10. Some tables have been deleted, some new tables have been introduced, some existing tables have been modified, some tables have been deprecated and are unused in version 9.20, and other tables have been replaced by views.

Table 2-9. Table changes (page 1 of 8)

| Table | Impact |
|-------------------------------|----------------------|
| FM_FORECAST_ACTUAL_PERIOD_SUM | Modified in 9.10 |
| I18N_KNTA_LOOKUPS | Deleted in 9.10 |
| ITG_BUNDLED_ITEMS | Obsoleted in 8.00.01 |
| ITG_COMPRESSED_ELEMENTS | Obsoleted in 8.00 |
| ITG_SETTINGS_ATTRIBUTES | Modified in 9.10 |
| ITG_SETTINGS_CONT_ATTRS | Modified in 9.10 |
| JMS_MESSAGES | Deleted in 9.10 |
| JMS_ROLES | Deleted in 9.10 |
| JMS_SUBSCRIPTIONS | Deleted in 9.10 |
| JMS_TRANSACTIONS | Deleted in 9.10 |
| JMS_USERS | Deleted in 9.10 |
| KCRT_FG_PFM_ASSET | Modified in 9.10 |
| KCRT_FG_PFM_ASSET_INT | Modified in 9.10 |
| KCRT_FG_PFM_PROJECT | Modified in 9.10 |
| KCRT_FG_PFM_PROPOSAL | Modified in 9.10 |
| KCRT_FG_PFM_PROPOSAL_INT | Modified in 9.10 |

Upgrade Impact 35

Table 2-9. Table changes (page 2 of 8)

| Table | Impact |
|-------------------------------|--------------------|
| KCRT_FG_PROG_REFERENCE | Modified in 9.10 |
| KCRT_FG_PROG_REFERENCE_INT | Modified in 9.10 |
| KCRT_FG_PROG_RISK | Added in 9.10 |
| KCRT_FG_PROG_RISK_INT | Added in 9.10 |
| KCRT_FG_SERVICE | Added in 9.10 |
| KCRT_FG_SERVICE_INT | Added in 9.10 |
| KCRT_FG_UCMDB_INT | Modified in 9.10 |
| KCRT_REQUEST_DETAILS | Modified in 9.10 |
| KCRT_REQUEST_HEADER_TYPES_LOC | Modified in 9.10 |
| KCRT_REQUEST_SUB_TYPES_LOC | Modified in 9.10 |
| KCRT_REQUEST_TYPE_SECURITY | Modified in 9.10 |
| KCRT_REQUEST_TYPES_LOC | Modified in 9.10 |
| KCRT_RT_REQUEST_RESOURCES | Modified in 9.10 |
| KCRT_STATUSES_LOC | Modified in 9.10 |
| KCRT_TABLE_ENTRIES | Modified in 9.10 |
| KCST_BENEFIT_ACCESS | Deprecated in 8.00 |
| KCST_BENEFIT_LINE_CELLS | Deprecated in 8.00 |
| KCST_BENEFIT_LINES | Deprecated in 8.00 |
| KCST_BENEFIT_LINKED_ENTITIES | Deprecated in 8.00 |
| KCST_BENEFIT_PERIOD_SUM_75 | Deleted in 8.00 |
| KCST_BENEFIT_TXN_HIST | Deprecated in 8.00 |
| KCST_BENEFITS | Deprecated in 8.00 |
| KCST_BUDGET_ACCESS | Deprecated in 8.00 |
| KCST_BUDGET_LINE_CELLS | Deprecated in 8.00 |

Table 2-9. Table changes (page 3 of 8)

| Table | Impact |
|-----------------------------|--------------------|
| KCST_BUDGET_LINES | Deprecated in 8.00 |
| KCST_BUDGET_LINKED_ENTITIES | Deprecated in 8.00 |
| KCST_BUDGET_PERIOD_SUM_75 | Deleted in 8.00 |
| KCST_BUDGET_TXN_HIST | Deprecated in 8.00 |
| KCST_BUDGETS | Deprecated in 8.00 |
| KCST_CURRENCY_CELLS_75 | Deleted in 8.00 |
| KCST_CURRENCY_LINES_75 | Deleted in 8.00 |
| KDEM_DEMAND_FIELDS | Modified in 9.10 |
| KDEM_DEMANDS | Modified in 9.10 |
| KDLV_PACKAGES_INT | Modified in 9.10 |
| KDRV_CALENDAR_EXCEPTIONS | Modified in 9.10 |
| KDRV_CALENDAR_SETUPS | Modified in 9.10 |
| KDRV_ROLLUP_METHODS | Modified in 9.10 |
| KDRV_ROLLUP_SETUPS | Modified in 9.10 |
| KDRV_STATES_NLS | Modified in 9.10 |
| KDRV_WORKING_DAYS | Modified in 9.10 |
| KDSH_DIST_IMPACTED_USERS | Deprecated in 9.10 |
| KDSH_DIST_ORG_UNITS | Deprecated in 9.10 |
| KDSH_DIST_SECURITY_GRPS | Deprecated in 9.10 |
| KDSH_DISTRIBUTION_ERRORS | Deprecated in 9.10 |
| KDSH_DISTRIBUTION_USERS | Deprecated in 9.10 |
| KDSH_DYNAMIC_FILTERS | Deprecated in 9.10 |
| KDSH_MODULE_DIST_PAGES | Deprecated in 9.10 |
| KDSH_MODULE_DIST_PORTLETS | Deprecated in 9.10 |

Table 2-9. Table changes (page 4 of 8)

| Table | Impact |
|--------------------------------|--------------------|
| KDSH_MODULE_DISTRIBUTIONS | Deprecated in 9.10 |
| KDSH_MODULES | Deprecated in 9.10 |
| KDSH_PUBLISHED_MODULE_USERS | Deprecated in 9.10 |
| KENV_ENVIRONMENTS | Modified in 9.10 |
| KENV_HOST_CLASSES_NLS | Modified in 9.10 |
| KINS_ACTIONS | Added in 9.10 |
| KINS_TABLESPACES | Added in 9.10 |
| KNTA_APP_SERVER_PROPERTIES | Modified in 9.10 |
| KNTA_COMMANDS | Modified in 9.10 |
| KNTA_DOCUMENT_HISTORY_CONTENTS | Added in 9.13 |
| KNTA_DOCUMENT_TIP_CONTENTS | Added in 9.13 |
| KNTA_DOCUMENT_VERSIONS | Added in 9.13 |
| KNTA_ENTITIES_NLS | Modified in 9.10 |
| KNTA_EXTERNAL_SYNCH | Modified in 9.10 |
| KNTA_FIELD_SECURITY | Modified in 9.10 |
| KNTA_PARAM_SET_FIELDS_NLS | Modified in 9.10 |
| KNTA_REF_RELATIONSHIPS_NLS | Modified in 9.10 |
| KNTA_REFERENCES | Modified in 9.10 |
| KNTA_REPORT_SUBMISSIONS | Modified in 9.10 |
| KNTA_RESOLVED_SEC_TOKENS | Modified in 9.10 |
| KNTA_SERVER_PARAM_DEF_NLS | Modified in 9.10 |
| KNTA_UCMDB_CI_ENTRIES | Added in 9.10 |
| KNTA_UCMDB_CI_SETS | Added in 9.10 |
| KNTA_USERS | Modified in 9.10 |

Table 2-9. Table changes (page 5 of 8)

| Table | Impact |
|-----------------------------|------------------|
| KNTA_VALIDATIONS_NLS | Modified in 9.10 |
| KPFM_CONFIGURATIONS | Modified in 9.10 |
| KPFM_SCENARIOS | Modified in 9.10 |
| KPMO_PROGRAM_BUSINESS_OBJ | Modified in 9.10 |
| KRSC_ORG_UNITS_NLS | Modified in 9.10 |
| KRSC_STAFF_PROF_PERIOD_SUM | Modified in 9.10 |
| KTMG_PAGE_COLUMNS | Modified in 9.10 |
| KTMG_POLICIES | Modified in 9.10 |
| KWFL_PENDING_EXEC_CALLBACKS | Modified in 9.10 |
| KWFL_RESOLVED_SEC_TOKENS | Modified in 9.10 |
| KWFL_WORKFLOW_STEPS_NLS | Modified in 9.10 |
| KWFL_WORKFLOWS_NLS | Modified in 9.10 |
| PFM_PORTFOLIO_CONTENTS | Added in 9.10 |
| PFM_PORTFOLIO_MANAGERS | Added in 9.10 |
| PFM_PORTFOLIOS | Added in 9.10 |
| PGM_PROGRAM_CONTENT | Added in 9.10 |
| PGM_PROGRAMS | Added in 9.10 |
| PLSQL_BLOCK_TES | Deleted in 9.10 |
| PM_EXCEPTION_RULE_RESULTS | Modified in 9.10 |
| PM_MSP_LINK_REQUESTS | Added in 9.10 |
| PM_PROGRAM_PROJECTS | Deleted in 9.10 |
| PM_PROJECTS_CONTAINERS | Deleted in 9.10 |
| PPM_EMAIL_CONTEXT_INFO | Added in 9.10 |
| PPM_EMAIL_PROCESSED_MSGS | Added in 9.10 |

Table 2-9. Table changes (page 6 of 8)

| Table | Impact |
|-----------------------------|------------------|
| PPM_FISCAL_PERIODS_NLS | Added in 9.10 |
| PPM_INT_AGILE_TASK_MAPPING | Added in 9.20 |
| PPM_INT_CONFIGURATIONS | Added in 9.10 |
| PPM_INT_EVENTS | Added in 9.10 |
| PPM_INT_QC_KPI | Added in 9.20 |
| PPM_INT_QC_CONTROL | Added in 9.10 |
| PPM_INT_QC_ENTITY_MAP | Added in 9.10 |
| PPM_INT_SOLUTIONS_NLS | Added in 9.10 |
| PPM_SERVICE_JOB_STATUS | Modified in 9.10 |
| RC_TEMP_TABLE | Deleted in 9.10 |
| RPT_CALENDAR_DAYS | Added in 9.10 |
| RPT_CM_FACT_CNTL | Added in 9.10 |
| RPT_DIM_PPM_FISCAL_PERIODS | Added in 9.10 |
| RPT_DIM_REQUESTS | Added in 9.10 |
| RPT_DIM_RM_POSITIONS | Added in 9.10 |
| RPT_DIM_RM_RESOURCEPOOLMGRS | Added in 9.10 |
| RPT_DIM_RM_RESOURCEPOOLS | Added in 9.10 |
| RPT_DIM_RM_RESOURCES | Added in 9.10 |
| RPT_DIM_RM_ROLES | Added in 9.10 |
| RPT_DIM_RM_STAFF_PROFILES | Added in 9.10 |
| RPT_DIM_TM_TIME_SHEET_LINES | Added in 9.10 |
| RPT_DIM_TM_TIME_SHEETS | Added in 9.10 |
| RPT_ETL_JOB | Added in 9.10 |
| RPT_EVENT_DEF | Added in 9.10 |

Table 2-9. Table changes (page 7 of 8)

| Table | Impact |
|--------------------------------|------------------------------|
| RPT_EVENT_LOG | Added in 9.10 |
| RPT_EVENT_LOG_DETAIL | Added in 9.10 |
| RPT_FCT_FM_APPROVED_BUDGETS | Added in 9.10 |
| RPT_FCT_FM_FCST_ACTUAL_CELL | Added in 9.10 |
| RPT_FCT_RM_RES_DISTRIBUTION | Added in 9.10 |
| RPT_FCT_RM_RESOURCE_CAPACITY | Added in 9.10 |
| RPT_FCT_RM_RESOURCE_DEMAND | Added in 9.10 |
| RPT_FCT_RM_RESOURCE_DEMAND_STG | Added in 9.10 |
| RPT_FCT_RM_RESOURCE_EFFORT | Added in 9.10 |
| RPT_FCT_RM_RESRCE_CAPACITY_STG | Added in 9.10 |
| RPT_FCT_RM_RSC_CAPACITY_AGGR | Added in 9.10 |
| RPT_FCT_RM_RSC_DEMAND_AGGR | Added in 9.10 |
| RPT_FCT_TM_ACTUAL_EFFORT | Added in 9.10 |
| RPT_FCT_TM_COMPLIANCE | Added in 9.10 |
| RPT_FCT_TM_COST | Added in 9.10 |
| RPT_KNTA_USERS_DELETES | Added in 9.10 |
| RPT_PARAMS | Added in 9.10 |
| RPT_RECREATE_INDEX | Added in 9.10 |
| RPT_RERUN_STATUS | Added in 9.10 |
| RPT_RM_FACT_CNTL | Added in 9.10 |
| RPT_RM_RSC_RP_ENTRIES | Added in 9.10 |
| RPT_RSC_RPDE_DELETES | Added in 9.10 |
| RPT_DEPLOYMENT | Added in 9.12 Content Pack 1 |
| RPT_DIM_PM_TASKS | Added in 9.12 Content Pack 1 |

Table 2-9. Table changes (page 8 of 8)

| Table | Impact |
|--------------------------------|------------------------------|
| RPT_DIM_REQ_DTL_CUSTOM_PARAMS | Added in 9.12 Content Pack 1 |
| RPT_DIM_REQ_HDR_CUSTOM_PARAMS | Added in 9.12 Content Pack 1 |
| RPT_FCT_PM_AGGR_PROJ_EFFORT | Added in 9.12 Content Pack 1 |
| RPT_FCT_PM_AGGR_TASK_EFFORT | Added in 9.12 Content Pack 1 |
| RPT_FCT_PM_TASK_ASSIGNMENTS | Added in 9.12 Content Pack 1 |
| RPT_FCT_PM_TASK_COST | Added in 9.12 Content Pack 1 |
| RPT_FCT_PM_TASK_UNASSGN_EFFORT | Added in 9.12 Content Pack 1 |
| RPT_PM_PROJECT_ENTRIES | Added in 9.12 Content Pack 1 |
| RPT_PM_PROJECT_MANAGERS | Added in 9.12 Content Pack 1 |
| RPT_PM_TASK_ENTRIES | Added in 9.12 Content Pack 1 |
| RPT_UPGRADE_PARAMS | Added in 9.12 Content Pack 1 |
| RSC_RESOURCES | Modified in 9.10 |
| RSC_RESOURCES_INT | Added in 9.20 |
| SM_RFC | Added in 9.10 |
| TEMP_TBL1 | Deleted in 8.00.01 |
| TEMP_UTIL_SOURCE | Deleted in 8.00.01 |
| TM_TIME_SHEETS | Modified in 9.10 |
| TM_WORK_UNITS | Modified in 9.10 |
| VALIDATION_ERRORS | Deleted in 9.10 |
| WP_CALENDAR_CONSTRAINTS | Modified in 9.10 |
| WP_TASK_ACTUALS | Modified in 9.10 |
| WP_TASK_COSTS | Modified in 9.10 |
| WP_TASK_INFO | Modified in 9.10 |
| WP_USER_DATA | Modified in 9.10 |

Views

Table 2-10 lists the views that have been changed or added since PPM Center version 9.10.

Table 2-10. View changes (page 1 of 2)

| View | Impact |
|--------------------------------|-------------------------------|
| RPT_DIM_BUSINESS_OBJ_MV | Added in 9.10 |
| RPT_DIM_FM_FCST_ACTUAL_LINE_MV | Added in 9.10 |
| RPT_DIM_FM_FCST_ACTUAL_MV | Added in 9.10 |
| RPT_DIM_FM_FIN_SUMMARY_MV | Added in 9.10 |
| RPT_DIM_FM_KNTA_LOOKUPS_MV | Added in 9.10 |
| RPT_DIM_ORG_UNITS_MV | Added in 9.10 |
| RPT_DIM_PROGRAMS_MV | Added in 9.10 |
| RPT_DIM_PROGRAM_CONTENT_MV | Added in 9.10 |
| RPT_DIM_PROJECTS_MV | Added in 9.10 |
| RPT_DIM_REGIONS_MV | Added in 9.10 |
| RPT_DIM_TM_ACTIVITIES_MV | Added in 9.10 |
| RPT_DIM_TM_CHARGE_CODES_MV | Added in 9.10 |
| RPT_DIM_TM_PERIODS_MV | Added in 9.10 |
| RPT_FCT_FM_FA_APPROVED_MV | Added in 9.10 |
| RPT_PPM_AGGR_WRK_DAYS_MV | Added in 9.10 |
| RPT_PPM_AGGR_WRK_DAYS_MV | Added in 9.10 |
| KRSC_ORG_UNITS_V | Modified in 9.10 |
| RPT_DIM_PM_DTL_CSTPARMS_IRS_MV | Added in 9.12, Content Pack 1 |
| RPT_DIM_PM_HDR_CSTPARMS_IRS_MV | Added in 9.12, Content Pack 1 |
| RPT_DIM_PM_PROJ_ISSUE_MV | Added in 9.12, Content Pack 1 |
| RPT_DIM_PM_PROJ_RISK_MV | Added in 9.12, Content Pack 1 |

Table 2-10. View changes (page 2 of 2)

| View | Impact |
|-----------------------------|-------------------------------|
| RPT_DIM_PM_PROJ_SCPCHG_MV | Added in 9.12, Content Pack 1 |
| RPT_DIM_PM_PROJ_SETTINGS_MV | Added in 9.12, Content Pack 1 |
| RPT_DIM_PM_WORKPLAN_MV | Added in 9.12, Content Pack 1 |
| KRSC_ORG_UNITS_INT | Modified in 9.20 |
| KRSC_ORG_UNIT_MEMBERS_INT | Modified in 9.20 |

Entity Changes

This section describes the major changes to the HP-provided entities—access grants, licenses, portlets, report types, request types, special commands, tokens, validations, and workflows—in this version, as compared to version 9.10. Some changes were introduced in service packs or minor releases, as noted.

Access Grants

Table 2-11. Access grant changes (page 1 of 2)

| Entity Name | Impact |
|---|--|
| Configure Portfolio Management | Modified in 9.10 |
| Create MSPS Resource Mapping | Added in 9.10 |
| Demand Mgmt: Import Request | Added in 9.12 |
| Edit Actuals on All Financial Summaries | Added in 9.10 |
| Edit Actuals on Financial Summary | Added in 9.10 |
| Edit All Portfolios | Added in 9.10 |
| Edit Costs on All Financial Summaries | Renamed to Edit Actuals on All Financial Summaries in 9.10 |

Table 2-11. Access grant changes (page 2 of 2)

| Entity Name | Impact |
|--|--|
| Edit Costs on Financial Summary | Renamed to Edit Actuals on Financial Summaries in 9.10 |
| Edit MSPS Resource Mapping | Added in 9.10 |
| Edit Portfolio | Added in 9.10 |
| Portfolio Manager | Renamed to View All Portfolios and modified in 9.10 |
| Promise Unspecified Resources | Added in 9.10 |
| Resource Mgmt: View Only Resources That I Manage as a Direct Manager | Added in 9.14 |
| Resource Mgmt: View Only Resources That I Manage in My Resource Pool | Added in 9.14 |
| Sys Admin: Server Tools: Execute SQL Runner | Modified in 9.12 |
| Sys Admin: Server Tools: Execute File Browser | Added in 9.12 |
| View All Portfolios | Added in 9.10 |

Licenses

Table 2-12. Licenses changes

| Entity Name | Impact |
|-------------------------------|---------------|
| Application Portfolio Analyst | Added in 9.12 |
| Application Portfolio User | Added in 9.12 |

Portlets

Table 2-13. Portlet changes

| Entity Name | Impact |
|--|------------------|
| Financial Comparison | Added in 8.00.01 |
| Financial Summary to Financial Data Comparison | Added in 8.00.01 |
| Program Contents List | Added in 9.10 |
| Program Cost Summary | Modified in 9.10 |
| Program List | Modified in 9.10 |
| Program Project List (replaced by Program Contents List) | Replaced in 9.10 |
| Open Defects Trends | Added in 9.20 |
| Priority Defects Trends | Added in 9.20 |
| Requirements Trends | Added in 9.20 |
| Project Quality Scorecard | Added in 9.20 |

Report Types

Table 2-14. Report types changes

| Entity Name | Impact |
|-----------------------------------|---------------|
| Purge Empty Time Sheet Lines | Added in 9.20 |
| (REFERENCE) Export Request Report | Added in 9.12 |

Request Header Type Field Groups

Table 2-15. Request header type field group changes

| Entity Name | Impact |
|--|------------------------------|
| Service | Added in 9.10 |
| CMQC Application Project | Description modified in 9.20 |
| CMQC QC/ALM Administration (renamed from CMQC QC Administration) | Modified in 9.20 |
| CMQC QC/ALM Instance (renamed from CMQC QC Instance) | Modified in 9.20 |
| CMQC Testing Project | Description modified in 9.20 |
| QC/ALM Defect Information (renamed from Quality Center Defect Information) | Modified in 9.20 |
| QC/ALM Info (renamed from Quality Center Info) | Modified in 9.20 |
| QC/ALM Release Information | Added in 9.20 |
| Universal CMDB Impact Analysis | Modified in 9.12 |

Request Types

Table 2-16. Request type changes

| Entity Name | Impact |
|--------------|------------------|
| PFM-Asset | Modified in 9.10 |
| PFM-Project | Modified in 9.10 |
| PFM-Proposal | Modified in 9.10 |

Special Commands

Table 2-17. Special command changes

| Entity Name | Impact |
|---|---|
| ksc_clear_staffingprofile_forecast_ assignment | Added in 9.10 |
| ksc_copy_request | Modified in 9.12 by adding two parameters |
| ksc_export_request_as_xml | Added in 9.12 |
| ksc_download_ucmdb_impactreport | Added in 9.12 |

Validations

Table 2-18. Validation changes (page 1 of 2)

| Entity Name | Impact |
|---|------------------|
| CST - Budget Entities | Modified in 9.10 |
| CST - Program Names | Modified in 9.10 |
| FINANCIAL BENEFIT AVOIDANCE CATEGORY List | Editable in 9.10 |
| Financial Benefits Revenue Category List | Editable in 9.10 |
| PM - Programs | Modified in 9.10 |
| PM - Programs (Restricted) | Modified in 9.10 |
| PMO - All Cost Enabled Programs | Modified in 9.10 |
| PMO - Program Projects | Modified in 9.10 |
| Service List | Added in 9.10 |
| Service List Data | Added in 9.10 |
| Service List uCMDB | Added in 9.10 |
| RSC - Org Unit ID | Modified in 9.20 |

Table 2-18. Validation changes (page 2 of 2)

| Entity Name | Impact |
|---|------------------|
| RSC - Org Unit ID - Enabled | Modified in 9.20 |
| RSC - Org Unit Potential Parents (with Region) | Modified in 9.20 |
| RSC - Org Unit Potential Parents (with Region) for New Org Units | Modified in 9.20 |
| RSC - Org Unit Sort By | Modified in 9.20 |
| RSC - Primary Org Units - Enabled | Modified in 9.20 |
| RSC - Primary Org Units - Enabled and not assigned to any resource pool including specific org unit | Modified in 9.20 |
| RSC - Primary Org Units associated to Resource Pools | Modified in 9.20 |
| XML Exportable Request Template | Added in 9.12 |
| XML Exportable Request Template By Request Type | Added in 9.12 |
| XML Importable Request Template | Added in 9.12 |

Workflows

Table 2-19. Workflow changes

| Entity Name | Impact |
|---------------------------------|---------------|
| Program Risk Management Process | Added in 9.10 |

3 System Requirements and Configuration Updates

Overview of System Modifications

This chapter highlights the system software and configuration changes for PPM Center version 9.20 (unless otherwise indicated).



For details specific to platform environments, see the *System Requirements and Compatibility Matrix*.

server.conf File Changes

This section describes the changes to the server configuration parameters (located in the server.conf file) in version 9.20.

Additions and Modifications

The server configuration parameters listed in *Table 3-1* were either added or modified (for example, the parameter is used for a different purpose or the valid values have changed). For details about these parameters, see the *Installation and Administration Guide*.

Table 3-1. New or modified server configuration parameters (page 1 of 8)

| Parameter Name | Change History | Description |
|--|---------------------------------|--|
| ALLOW_SAVE_REQUEST_ DRAFT | Description modified in 9.12 | If set to true, enables the Save Draft button on the Create New Request page, which allows HP Demand Management users to save requests without automatically submitting them in the standard interface. |
| BYPASS_STARTUP_ CHECKS | Added in 9.12 | If set to true, prevents server checks at PPM Center startup. |
| CMQC_QC_VERSION | Modified in 9.12 | Specifies ALM/Quality Center version for CMQC solution. |
| | | The value for initString parameter for CMQC solution, for example, |
| | | <pre>INI:s40F+cwwevEkcnJ9zWHwpE8ktxfl1p b5y8QoENFQLs8=</pre> |
| | | You can get the value from Quality Center/ALM server. |
| CMQC_INIT_STRING | Added in 9.12 | The initString value is stored in a properties file (ALM\jboss\server\ default\deploy\20qcbin.war\WEB-INF\siteadmin.xml) or |
| | | an XML configuration file (ALM\conf\qcConfigFile.properties) on the server where Quality Center/ALM is installed. |
| DMS_DB_ENABLE_ FULLTEXT_SEARCH | Added in 9.13 | To enable the database fulltext search feature in document management for PPM Center, set this parameter to true. |
| DMS_FILENAME_DISPLAY_ LENGTH | Added in 9.13 | Determines the number of characters shown in the References section for the names of files attached to PPM Center entities. |
| DMS_MIGRATION_DELAY_ BETWEEN_DOCUMENT | Added in 9.13 | Determines the duration (in seconds) that a thread will wait between two documents to migrate. To lighten the load of the migration process on the PPM Server, increase the value of this parameter. |

Table 3-1. New or modified server configuration parameters (page 2 of 8)

| Parameter Name | Change History | Description |
|---|----------------|---|
| DMS_MIGRATION_ DOCUMENTS_BATCH_ SIZE | Added in 9.13 | Determines the number of documents that to be queued for migration on a given PPM Service node. Every time the DMS Migration Engine Service runs on a Service node, the queue of documents to migrate is filled up. |
| DMS_MIGRATION_ THREAD_COUNT | Added in 9.13 | Specifies number of threads that will be migrating documents on a given PPM Service node. |
| ENABLE_CONNECTION_ CORRELATION | Added in 9.12 | The Connection Correlation page is intended for use by HP Software Support for troubleshooting and is disabled by default in a production environment. If the page is enabled, you access it by selecting Open > Administration > View connection correlation from the PPM Dashboard. To enable the Open > Administration > View connection correlation menu item and the Connection Correlation page, add the ENABLE_CONNECTION_CORRELATION parameter to the server.conf file, and set its value to true. |
| ENABLE_DEBUGGING_ PER_USER | Added in 9.12 | Add this parameter to the server.conf file and set it to true to enable debug logging to the serverLog.txt file for a specific user. |
| ENABLE_LW_SSO_UI | Added in 9.12 | If added to the server.conf file and set to true, enables the lightweight single sign-on (LW-SSO) user interface |
| ENABLE_LW_SSO_WEB_ SERVICE | Added in 9.12 | (For integration of PPM Center Tasks with Service Manager RFCs only) If LW-SSO authentication is enabled, add this parameter to the server.conf file and set it to true to specify that PPM Center is to always use the current user to call the Service Manager Web service. |

Table 3-1. New or modified server configuration parameters (page 3 of 8)

| Parameter Name | Change History | Description |
|--|----------------|---|
| ENABLE_RESTRICTIONS_ ON_PROJ_SEARCH | Added in 9.12 | To enable a restriction on the number of projects returned on project searches, set this parameter to true. To specify the maximum number of projects returned on project searches, set the MAX_RESULTS_ALLOWED_ON_PROJ_SEARCH parameter. |
| ENABLE_SITE_MAP | Added in 9.12 | If set to true, enables the Site Map link in the header of each page. |
| ENABLE_SKIP_NAVIGATION | Added in 9.12 | If set to true, enables the Skip Navigation link in the header of each page. |
| EXCEPTIONS_RETAIN_ PERIOD | Added in 9.12 | Number of days non-service PPM Center exceptions are to be retained. |
| FONT_SIZE_OF_GRAPHIC_ WORKFLOW | Added in 9.14 | Specifies a font size for displaying larger or smaller characters in workflow layout images |
| HIGHLIGHT_ NONWORKING_DAYS_IN_ TIMESHEET | Added in 9.12 | If set to true, for time sheets on which time is logged on a daily basis, the columns for non-working days are highlighted in color. |
| IMPACT_ANALYSIS_ REPORT_CATEGORY | Added in 9.12 | If you have enabled the attachment of Universal CMDB Impact Analysis Reports for CIs in PDF format to requests in PPM Center, use this parameter to specify the default category value for impact analysis reports, for example, change or operation. |
| IMPACT_ANALYSIS_ REPORT_LANGUAGE | Added in 9.12 | If you have enabled the attachment of Universal CMDB Impact Analysis Reports for CIs in PDF format to requests in PPM Center, use this parameter to set the default language code. |
| IMPACT_ANALYSIS_ REPORT_SEVERITY | Added in 9.12 | If you have enabled the attachment of Universal CMDB Impact Analysis Reports for CIs in PDF format to requests in PPM Center, use this parameter to set the default severity value for the impact analysis report. |

Table 3-1. New or modified server configuration parameters (page 4 of 8)

| Parameter Name | Change History | Description |
|--|-----------------------------|--|
| LOCAL_IP | Description updated in 9.14 | Used to construct the servlet URL for use by PPM Server when the PPM Server internally invokes one of its own servlets. An example of this is when a report is executed. Ordinarily, this parameter should not need to be |
| | | specified. |
| LW_SSO_CLEAR_COOKIE | Added in 9.12 | If LW-SSO authentication is enabled, add this parameter to the server.conf file to specify that PPM Center must clear the LW-SSO token when a user logs out of PPM Center. |
| LW_SSO_DOMAIN | Added in 9.12 | If LW-SSO authentication is enabled, add this parameter to the server.conf file to specify the LW-SSO domain. |
| LW_SSO_EXPIRATION_ PERIOD | Added in 9.12 | The token for validating user logon has an expiration value that determines an application's session validity. If LW-SSO authentication is enabled, add this parameter to the server.conf file to specify the LW-SSO token expiration period in minutes. |
| | | Configure a token expiration for each HP application that uses LW-SSO. HP recommends that you set the value to 60 (minutes). |
| LW_SSO_INIT_STRING | Added in 9.12 | If LW-SSO authentication is enabled, add this parameter to the server.conf file to specify the value of the initString parameter. |
| LW_SSO_TRUSTED_ DOMAIN | Added in 9.12 | If LW-SSO authentication is enabled, add this parameter to the server.conf file to specify one or more LW-SSO trusted domains. To separate multiple domains, use semicolons (;). |
| MAX_RESULTS_ALLOWED_ ON_PROJ_SEARCH | Added in 9.12 | Specifies the maximum number of projects returned on project searches. To set this restriction, you must also set the ENABLE_RESTRICTIONS_ON_PROJ_SEARCH parameter. |

Table 3-1. New or modified server configuration parameters (page 5 of 8)

| Parameter Name | Change History | Description |
|---|------------------------------------|--|
| MAX_WEB_ATTACHMENT_ SIZE_IN_MB | Added in 9.13 | Specifies maximum attachment size (in MB) for files uploaded using PPM Center web interface. Attachments size is capped at 2 GB. |
| MOBILITY_ACCESS_HIDE_ INITIAL_MESSAGE | Added in 9.14 | Controls whether to hide or display the initial text in an Mobility Access email notification. |
| MULTICAST_WARNING_ MINUTES | Added in 9.12, modified in 9.20 | PPM Center logs warnings in the server logs if it does not detect multicast traffic from a node after a specified time interval has elapsed (even though the node can be reached on its JMS connection factory and the PPM_ SERVER_INSTANCE table shows that the node is running). Use this parameter to configure the amount of time that must pass before PPM Center determines that a node is down. |
| NUMBER_OF_FUTURE_ YEARS_TO_SHOW_ON_ FINANCIAL_SUMMARY | Added in 9.12 | Used along with the NUMBER_OF_PAST_ YEARS_TO_SHOW_ON_FINANCIAL_ SUMMARY parameter to specify the time range for data displayed in tables of forecast and actual cost details and benefits details on the Edit Forecast & Actuals page and the Edit Benefits page of financial summaries. |
| NUMBER_OF_PAST_ YEARS_TO_SHOW_ON_ FINANCIAL_SUMMARY | Added in 9.12 | Used along with the NUMBER_OF_FUTURE_YEARS_TO_SHOW_ON_FINANCIAL_SUMMARY parameter to specify the time range for data displayed in tables of forecast and actual cost details and benefits details on the Edit Forecast & Actuals page and the Edit Benefits page of financial summaries. |

Table 3-1. New or modified server configuration parameters (page 6 of 8)

| Parameter Name | Change History | Description |
|--|-------------------|--|
| ONLINE_IMPACT_ ANALYSIS_REPORT | Added in 9.12 | PPM Center logs warnings in the server logs if it does not detect multicast traffic from a node after a specified time interval has elapsed (even though the node can be reached on its JMS connection factory and the PPM_ SERVER_INSTANCE table shows that the node is running). Use this parameter to configure the amount of time that must pass before PPM Center determines that a node is down. To disable multicast monitoring, set this parameter to zero or a lower number. |
| REPORTING_BASE_URL | Added in 9.12 CP1 | If Operational Reporting is deployed on your system, this is the base URL for your BusinessObjects server. |
| SCHEME_BASED_ REDIRECT_FILTER_ ENABLED | Added in 9.20 | If set to true, enables the SchemeBasedRedirectFilter filter. The SchemeBasedRedirectFilter generates a correct redirect URL by adding the BASE_URL value as prefix to the redirect URL, such that every redirect URL starts with scheme (http/https) and the same base URL, and then sends to the correct target. If the parameter is not present in server.conf, the system would treat it as a true condition by default. If you do not use https or reverse proxy, you can disable the SchemeBasedRedirectFilter by setting the parameter to false. |
| SHOW_PARAMETERS_AT_ STARTUP | Added in 9.12 | If set to true, enables the display (and logging) of all PPM Center server configuration parameters used during startup. |
| SERVICE_RECORDS_ RETAIN_COUNT | Added in 9.12 | Determines the number of the most recent service runs to be retained. |

Table 3-1. New or modified server configuration parameters (page 7 of 8)

| Parameter Name | Change History | Description |
|---|----------------|--|
| TABLE_COMP_USE_ LEGACY | Added in 9.12 | Determines whether the original layout of a table component is used. If set to true, the original layout is applied. |
| TM_ENABLE_GRID_ RESIZE_CONTROL | Added in 9.12 | If set to true, enables users to vertically resize Time Breakdown tables on time sheets. |
| TM_ENABLE_REQ_ ACTIVITY_CONTROLS | Added in 9.12 | In time-sheet policies, you can require users to specify activities on time-sheet lines for requests of particular request types. To enable this activity restriction based on request types, you must set this parameter to true. (You must also select the Use Time Management to track actuals option from the PPM Workbench.) |
| TM_ENABLE_SHOW_ WHATS_NEW | Added in 9.12 | The first time a user opens any time sheet, PPM Center displays a message that describes the saving of the time sheet. After this, the message is not displayed to that user again for any time sheet. To disable the display of this message, set this parameter value to false. |
| UCMDB_WS_PASSWORD | Added in 9.12 | Universal CMDB user password for logging in through Web service. |
| WORKBENCH_MAX_HEAP_ SIZE | Added in 9.20 | Specifies maximum available memory (in MB) for the PPM Workbench. |
| dashboard.Pivotdataset-Max- Cells | Added in 9.14 | Determines the maximum number of cells (number of rows * number columns) in the List display mode of a pivot table portlet. |
| dashboard.Pivotdataset-Max- Distinct-Cells | Added in 9.14 | Determines the maximum number of unique aggregations (product of numbers of unique values in each column) in a pivot table. |
| dashboard.Pivotdataset-Max- Distinct-In-Column | Added in 9.14 | Determines the maximum number of unique values in any column of a pivot table. |
| dashboard.Pivotdataset-Max- Rows | Added in 9.14 | Determines the maximum number of rows in the List display mode of a pivot table portlet. |

Table 3-1. New or modified server configuration parameters (page 8 of 8)

| Parameter Name | Change History | Description |
|--|----------------|--|
| DMS_FILENAME_SEARCH_ MAX_RESULTS | Added in 9.20 | Specifies maximum number of matching items before applying filters from other search criteria, such as creation date or "Closed" status. You may need to increase this value if too many filename matching items are filtered out by very selective search criteria. |
| WORK_PLAN_RESOURCE_ AVAILABILITY_DAYS_LIMIT | Added in 9.20 | Specifies resource availability days limit for a task, including the resource's non-working days. A schedule warning appears if the total of the value entered in the Scheduled Duration field plus the resource's non-working days is greater than the limit you specified. |
| MULTICAST_TTL | Added in 9.20 | Specifies TTL value in all multicast channels. |
| HTTP_PROXY_URL | Added in 9.20 | URL of the HTTP proxy server used for PPM Center to connect to the Internet. It can be used by integration solutions or other PPM Center functionality. |
| COST_ROWS_BATCH_SIZE | Added in 9.20 | Batch size of rows for the Cost Rollup Service to process. |
| IMPACT_ANALYSIS_ REPORT_NAME | Added in 9.20 | Specifies a name for the UCMDB impact analysis report. |
| APP_SERVER_ALERT_TEXT | Added in 9.20 | Alert text that displays on the application server logon page and headers. |
| MAX_QC_ALM_RELEASES_ NUMBER | Added in 9.20 | Specifies the maximum number of releases from ALM to be displayed on the Project Details page in PPM Center. |
| dashboard.Asynchronous- Loading-Enabled | Added in 9.20 | Setting the value to true enables asynchronous rendering of the Dashboard page. |

Table 3-2. New or modified LDAP attribute parameters

| Parameter Name | Change History | Description |
|-------------------|----------------|---|
| RSC_RESOURCES_INT | Added in 9.20 | Target table for the import. Can be mapped to any LDAP attribute. |
| | | Always map both VISIBLE_USER_DATA and USER_DATA. |
| | | To disable default mapping: |
| | | Either comment out or delete the mapping line. |
| | | Mappings: |
| | | USERNAME = sAMAccountName |
| | | USER_DATA1 = mail |
| | | VISIBLE_USER_DATA1 = mail |
| | | 2. Add a placeholder parameter to the LdapAttribute.conf file that will add a value to the FIRST_NAME and LAST_NAME fields. |